

Contents

Scientific papers

Incidence and severity of <i>Olivea tectonae</i> and <i>Rhabdopterus</i> sp. in young plantations of <i>Tectona grandis</i> L.f. under different modalities of weed control. Marcela Arguedas-Gamboa, María Rodríguez-Solís, Mario Guevara-Bonilla, Edwin Esquivel-Segura, Simón Sandoval-Rocha and Elemer Briceño-Elizondo	9-19
Etiology of stem canker caused by <i>Neoscytalidium dimidiatum</i> (Penz) on <i>Hylocereus costaricensis</i> , in Costa Rica. Kenneth Retana-Sánchez, Mónica Blanco-Meneses and Oscar Castro-Zúñiga	21-33
Comparation of two boron extractant solutions and determination of its content in soil and banana plant. Veda Obando-Bustos, Rafael Segura-Mena and Jorge Sandoval-Fernández	35-45
Isolation and evaluation of phosphorus solubilizing microorganisms from Andisol soils in Costa Rica. Paola Vargas-Barrantes and Leida Castro-Barquero	47-68
Nutrient absorption in the oil palm variety “Compacta X Ghana” in nursery. Gabriel Garbanzo-León, Floria Ramírez-Castrillo and Eloy Molina-Rojas	69-84
Use of different <i>Trichoderma</i> species in cherry type tomatoes (<i>Solanum lycopersicum</i> L.) against <i>Fusarium oxysporum</i> wilt in tropical greenhouses. Luis Vargas-Inciarte, Yvan Fuenmayor-Arrieta, Mariangel Luzardo-Méndez, Mario Da Costa-Jardin, Alexis Vera, Daniel Carmona, Manuel Homen-Pereira, Pedro Da Costa-Jardin and Ernesto San-Blas	85-100

Technical notes

<i>Trichoderma harzianum</i> effect on mildew control (<i>Pseudoperonospora cubensis</i>) in cucumber crops. Allan Alvarado-Aguayo, Wilmer Pilaloa-David, Sinhya Torres-Sánchez and Kevin Torres-Sánchez	101-111
Use of pineapple residues in goat feeding: Effect on milk production and milk composition. Carlos Alpízar-Solís and Jorge Alberto Elizondo-Salazar	113-124
Control of <i>Tetranychus urticae</i> Koch (Acari: Tetranychidae) with <i>Bacillus subtilis</i> on strawberry leaves (<i>Fragaria vesca</i>). David Mendoza-Léon, Jorge Dobronski-Arcos, Carlos Vásquez-Freytez, Vanessa Frutos-Pinto and Sara Paredes-Carreño	125-133
Site characteristics that determine the growth and productivity of teak (<i>Tectona grandis</i> L. f.) of young plantations in Guatemala. Edwin Vaides-López, Alfredo Alvarado-Hernández and Roberto Moya-Fernández	135-148